

REMARKS

Overview

This amendment accompanies a request for continued examination. Claims 84-89, 92-94, 98-100, 102-103, 105, 108 and 110 are pending in this application. Claims 84, 92, 98, 99, and 105 have been amended. The present response is an earnest effort to place all claims in proper form for immediate allowance. Reconsideration and passage to issuance is therefore respectfully requested.

Issues under 35 U.S.C. § 103

Claims 84, 88-89, 94, 98-100, 102-103, and 110 have been rejected under 35 U.S.C. § 103(a) as being unpatentable over U.S. Patent No. 6,393,404 to Waters et al., in view of U.S. Patent No. 5,325,293 to Dorne and U.S. Patent Number 5,823,949 to Goltra, and further in view of IBM Visualization Data Explorer QuickStart Guide, 1997 (hereinafter "QuickStart").

Waters et al. is directed towards a system and method for optimizing diagnosis procedures and reimbursement claims using a structured search space (abstract). Waters et al. builds a search tree of all possible combinations of the simple procedures and the compound procedures in a list of ordered procedures and then searches the search tree for the lowest total of values associated with the medical procedures in the list of ordered procedures so as to determine the lowest reimbursement value combination (col. 12, lines 49-67). Waters et al. does not provide for ordering of diagnosis codes associated with a procedure to create a record of a patient encounter.

Dorne et al. is directed towards a method and system for correlating billing codes with planned or performed medical procedures (Abstract). Dorne et al. does not provide for ordering of diagnosis codes associated with a procedure to create a record of a patient encounter.

Goltra is directed towards a method and apparatus for helping healthcare professionals create clinical protocols or assist in direct entry of the medical findings into a chart by intelligently prompting a health care professional with medical findings associated with one or more medical findings which have already been entered in the protocol (Abstract). Goltra further discloses that possible diagnosis are then ranked in descending point total and a predetermined plurality of the highest ranked diagnoses are selected (Abstract). Goltra, does not however, provide for ordering of diagnosis codes associated with a procedure to create a record of a patient encounter.

QuickStart makes no disclosure of procedure codes or diagnosis codes and thus also does not disclose providing for ordering of diagnosis codes associated with a procedure to create a record of a patient encounter.

In fact, none of the references cited by the Examiner provide for ordering of diagnosis codes associated with a procedure after they have been received. None of the cited references, alone or in combination, teach "providing a user interface adapted for ranking the plurality of diagnosis codes linked with the patient procedure code in a user defined rank order after receiving the selection of the plurality of diagnosis codes" as recited in independent claim 84. None of the cited references, alone or in combination, teach "receiving a change in ordering of diagnosis codes within the plurality of diagnosis codes" as recited in independent claim 92. None of the cited references, alone or in combination teach "receiving a change in ordering of diagnosis codes from a user" as recited in independent claim 98. None of the cited references,

alone or in combination teach "using the user interface to reorder the plurality of diagnosis codes" as recited in independent claim 105.

Moreover, allowing a medical care provider to order the diagnosis codes provides an advantage of better documenting a patient encounter. For each procedure performed, the medical care provider has rank ordered the diagnose codes which provides additional insight into why each procedure was performed and thus captures information not captured in the cited prior art references thereby resulting in a code-driven medical reporting and billing system. None of the cited prior art references allow a medical care provider to rank order diagnosis codes after they are entered or recognize how this rank-ordering captures additional information that better documents the patient encounter for medical reporting or billing purposes in a code-driven manner.


It is therefore respectfully submitted that all pending rejections be withdrawn, as the claimed invention is patentably distinct over the cited prior art references.

Conclusion

This amendment accompanies the filing of a Request for Continued Examination (RCE). Please charge Deposit Account No. 26-0084 the amount of \$395.00 for the RCE per the attached transmittal. No other fees or extensions of time are believed to be due in connection with this amendment; however, consider this a request for any extension inadvertently omitted, and charge any additional fees to Deposit Account No. 26-0084.

Reconsideration and allowance is respectfully requested.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'J. Harty', is written over the printed name and firm information.

JEFFREY D. HARTY, Reg. No. 40,639
McKEE, VOORHEES & SEASE, P.L.C.
801 Grand Avenue, Suite 3200
Des Moines, Iowa 50309-2721
Phone No: (515) 288-3667
Fax No: (515) 288-1338
CUSTOMER NO: 22885
Attorneys of Record

- bjh -

Enclosures: DECLARATION OF INVENTOR, PETER V. BOESEN (Exhibits A-F)



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT : **BOESEN, Peter V.**
SERIAL NO : 09/558,519
FILED : April 26, 2000
TITLE : POINT OF SERVICE BILLING AND RECORDS SYSTEM

Grp./A.U. : 3626
Examiner : PASS, Natalie
Conf. No. : 9687
Docket No. : P04179US00

DECLARATION OF INVENTOR, PETER V. BOESEN

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Madam:

I, Peter V. Boesen, hereby declare the following:

1. I am the named inventor of the above-entitled patent application relating to a medical records and billing system.

2. I am a Medical Doctor and the focus of my practice has been Pediatric Otolaryngology.

3. In approximately October/November of 1995, I purchased a device known as the MED-PAD from Medical Manager Corporation, a medical billing and records system software provider. A picture of the MED-PAD device is attached as Exhibit A to my Declaration. It is my understanding that the MED-PAD device was designed by Systems Plus, Inc. of Mountain View, California.

4. The MED-PAD device is a computer with a touch screen for receiving inputs from the user. The intended purpose of the device was to enter information about hospitalized patients, including a single applicable procedure and associated diagnosis codes.

5. To my knowledge, Medical Manager has not provided or sold another MED-PAD device, but provided the device for use in my medical practice. Unfortunately, my experience was that the device was unproven and unworkable. When first used in my practice in approximately October/November of 1995, it crashed our backend billing system. It caused numerous fatal system errors, requiring the work of multiple programmers to restore the integrity of our backend computer system. This required days of work. Recognizing the facts surrounding this system, it was evident the system had not been applied to application and was a work in progress. After restoring backend system integrity in the October/November time frame in 1995, which was a huge task, I designed features to allow the MED-PAD to function, albeit in a limited fashion, without crashing the backend computer system.

6. However, serious problems remained with the MED-PAD. For example, the MED-PAD would allow the user to enter the same diagnosis code multiple times for a patient encounter, which would result in claim rejection. There were also significant problems involved in linking one or more diagnosis codes to a particular procedure code. The user interface of MED-PAD allowed the user to enter a procedure code and a plurality of diagnosis codes with no visual representation on the user interface as to whether any particular diagnosis code was linked to a particular procedure code.

7. Attached as Exhibits B through F to my declaration are screen shots from the MED-PAD user interface. The names of living patients have been redacted. Exhibit B comprises the About MED-PAD screen, Main Menu screen and Patient Selection Screen.

8. Exhibit C is a screen shot of the Encounter Form – Procedure Code Screen that shows a limited number of procedure codes capable of being entered. There was no way to determine on this screen whether more than one of the pre-set codes had been selected. Exhibit

D is a pre-set Encounter Form - Diagnosis screen. The user cannot tell whether a code not shown on the screen had been selected. There is a screen showing some selected diagnosis codes (Exhibit E) and there is a screen showing some selected procedure codes (Exhibit F), but there are no visual linkages between the types of procedure and diagnosis codes. Entering multiple procedure codes, as shown in Exhibit F (which overlays the screen in Exhibit C) serves to compound the problem. The user could only assume that certain diagnosis codes were linked to a particular procedure code, but there was nothing in the user interface to verify this, compounded further if more than one procedure had been selected. Although the diagnosis codes could be rank ordered in some fashion into the MED-PAD device as shown in Exhibit E, one had to assume that the "top" code was in the primary diagnosis code position. Linkage to procedure codes was still a critical problem. That is, the inability to ascertain the linkage of one or more diagnosis codes with a procedure code remained an insurmountable problem with the MED-PAD device. No summary of linkages was capable on the MED-PAD.

8. Use of the MED-PAD device in my medical practice was for purely private purposes. The MED-PAD was never used outside of my practice. Any computer programmers that I engaged to make changes and correct problems in functionality were working at my direction and signed appropriate confidentiality agreements. At all times, the MED-PAD device remained under my direct control and I regarded my use and continued efforts to improve the device as further experimentation. All modifications to the device were at my instruction and remained in my control.


The undersigned further declares that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the

like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application of any patent issuing thereon. While not believed relevant to patentability or this declaration, out of an abundance of caution in compliance with the duty of disclosure, I inform the PTO that since the filing of this application I have been convicted of medical fraud and perjury in an action captioned United States v. Boesen (S.D. Iowa), case No. 4:05-CV-00262-JEG. I vigorously maintain my innocence. The case is not yet final, but currently on appeal.

Date

6-7-07


Peter V. Boesen



EXHIBIT

A

tabbles

Fitbit Med-Pad

MED-PADTM

1000 Adams Street Suite A-415

Mountain View, CA 94043

Phone (415) 959-7047

Systems Plus, Inc

100 Clyde Avenue

Mountain View CA 94043

Phone (415) 959-7047

VeriSign

tabbles

EXHIBIT

B

Main Menu

Provider Forms

Clinical Data

Import File

Send to Medical Manager

Tools and Utilities

About Med-Ped

Copyright 1999 Med-Ped Software, Inc. All rights reserved. Med-Ped Software, Inc. is a registered trademark of Med-Ped Software, Inc.

REDACTED

Procedure Code Screen

Page 1 of 1

Search Code

Code	Description	Code
92552	92552
92553	92553
92554	92554
92555	92555
92556	92556
92557	92557
92558	92558
92559	92559
92560	92560
92561	92561
92562	92562
92563	92563
92564	92564
92565	92565
92566	92566
92567	92567
92568	92568
92569	92569
92570	92570
92571	92571
92572	92572
92573	92573
92574	92574
92575	92575
92576	92576
92577	92577
92578	92578
92579	92579
92580	92580
92581	92581
92582	92582
92583	92583
92584	92584
92585	92585
92586	92586
92587	92587
92588	92588
92589	92589
92590	92590
92591	92591
92592	92592
92593	92593
92594	92594
92595	92595
92596	92596
92597	92597
92598	92598
92599	92599

Cancel

Search

Print

Help

Back

EXHIBIT

tabbles

2

10/10/60 (10/10/60) 10/10/60

10/10/60 (10/10/60)

10/10/60 (10/10/60)

10/10/60 (10/10/60)

10/10/60 (10/10/60)

10/10/60 (10/10/60)

Code	Description	Code
380 31	ADRENAL CHROMAFFINOMA	380 31
380 32	ADRENAL CHROMAFFINOMA	380 32
380 33	ADRENAL CHROMAFFINOMA	380 33
380 34	ADRENAL CHROMAFFINOMA	380 34
380 35	ADRENAL CHROMAFFINOMA	380 35
380 36	ADRENAL CHROMAFFINOMA	380 36
380 37	ADRENAL CHROMAFFINOMA	380 37
380 38	ADRENAL CHROMAFFINOMA	380 38
380 39	ADRENAL CHROMAFFINOMA	380 39
380 40	ADRENAL CHROMAFFINOMA	380 40
380 41	ADRENAL CHROMAFFINOMA	380 41
380 42	ADRENAL CHROMAFFINOMA	380 42
380 43	ADRENAL CHROMAFFINOMA	380 43
380 44	ADRENAL CHROMAFFINOMA	380 44
380 45	ADRENAL CHROMAFFINOMA	380 45
380 46	ADRENAL CHROMAFFINOMA	380 46
380 47	ADRENAL CHROMAFFINOMA	380 47
380 48	ADRENAL CHROMAFFINOMA	380 48
380 49	ADRENAL CHROMAFFINOMA	380 49
380 50	ADRENAL CHROMAFFINOMA	380 50
380 51	ADRENAL CHROMAFFINOMA	380 51
380 52	ADRENAL CHROMAFFINOMA	380 52
380 53	ADRENAL CHROMAFFINOMA	380 53
380 54	ADRENAL CHROMAFFINOMA	380 54
380 55	ADRENAL CHROMAFFINOMA	380 55
380 56	ADRENAL CHROMAFFINOMA	380 56
380 57	ADRENAL CHROMAFFINOMA	380 57
380 58	ADRENAL CHROMAFFINOMA	380 58
380 59	ADRENAL CHROMAFFINOMA	380 59
380 60	ADRENAL CHROMAFFINOMA	380 60
380 61	ADRENAL CHROMAFFINOMA	380 61
380 62	ADRENAL CHROMAFFINOMA	380 62
380 63	ADRENAL CHROMAFFINOMA	380 63
380 64	ADRENAL CHROMAFFINOMA	380 64
380 65	ADRENAL CHROMAFFINOMA	380 65
380 66	ADRENAL CHROMAFFINOMA	380 66
380 67	ADRENAL CHROMAFFINOMA	380 67
380 68	ADRENAL CHROMAFFINOMA	380 68
380 69	ADRENAL CHROMAFFINOMA	380 69
380 70	ADRENAL CHROMAFFINOMA	380 70
380 71	ADRENAL CHROMAFFINOMA	380 71
380 72	ADRENAL CHROMAFFINOMA	380 72
380 73	ADRENAL CHROMAFFINOMA	380 73
380 74	ADRENAL CHROMAFFINOMA	380 74
380 75	ADRENAL CHROMAFFINOMA	380 75
380 76	ADRENAL CHROMAFFINOMA	380 76
380 77	ADRENAL CHROMAFFINOMA	380 77
380 78	ADRENAL CHROMAFFINOMA	380 78
380 79	ADRENAL CHROMAFFINOMA	380 79
380 80	ADRENAL CHROMAFFINOMA	380 80
380 81	ADRENAL CHROMAFFINOMA	380 81
380 82	ADRENAL CHROMAFFINOMA	380 82
380 83	ADRENAL CHROMAFFINOMA	380 83
380 84	ADRENAL CHROMAFFINOMA	380 84
380 85	ADRENAL CHROMAFFINOMA	380 85
380 86	ADRENAL CHROMAFFINOMA	380 86
380 87	ADRENAL CHROMAFFINOMA	380 87
380 88	ADRENAL CHROMAFFINOMA	380 88
380 89	ADRENAL CHROMAFFINOMA	380 89
380 90	ADRENAL CHROMAFFINOMA	380 90
380 91	ADRENAL CHROMAFFINOMA	380 91
380 92	ADRENAL CHROMAFFINOMA	380 92
380 93	ADRENAL CHROMAFFINOMA	380 93
380 94	ADRENAL CHROMAFFINOMA	380 94
380 95	ADRENAL CHROMAFFINOMA	380 95
380 96	ADRENAL CHROMAFFINOMA	380 96
380 97	ADRENAL CHROMAFFINOMA	380 97
380 98	ADRENAL CHROMAFFINOMA	380 98
380 99	ADRENAL CHROMAFFINOMA	380 99
380 100	ADRENAL CHROMAFFINOMA	380 100

EXHIBIT

Source: [illegible] [illegible]

Items are currently not being selected are

Number

Description

461 1
461 2
461 3
473.0

ACUTE ETHMOIDAL SINUSITIS
ACUTE SPHENOIDAL SINUSITIS
CHRONIC MAXILLARY SINUSITIS

Move to Top

Move to Bottom

Clear All

Move Up

Move Down

Delete Highlighted Item

EXHIBIT

11

tabbles

Outpatient Procedure Codes

(Unselected) codes that have been selected are

Description	Number
INPATIENT/OUTPAT ESTAB PAT	99212
INPATIENT/OUTPAT ESTAB PAT	99211

000000

Delete Highlighted

EXHIBIT

7

tabbles